




Linksys EA4500 Router Setup Guide



Configure QoS Settings

1. Log in to the Linksys router.



Authentication Required


The server http://192.168.1.1:80 requires a username and password. The server says: Linksys EA4500.

User Name:

Password:

Log In Cancel

2. Select **Applications & Gaming**.



3. Select QoS.



4. Select **Enabled** to enable QoS service. Enter your broadband provider's uplink speed. This information is typically listed on your monthly service invoice. It's 1Mbps in our example.



5. Select **Applications** from the categories dropdown menu.



6. Enter an Application Name and select Priority **High**.
7. Enter the following port range:
Port Range: 20000 – 65535 Protocol: UDP
Port Range: 5060 – 5090 Protocol: UDP

Applications

Applications: Add a New Application

Enter a Name: MegaPath

Port Range: 20000 to 65535 UDP
(Optional) 5060 to 5090 UDP
(Optional) to Both

Priority: High

Apply

8. Click **Apply** to save settings.
9. Click **Save Settings**.

Priority	Name	Information		
High	MegaPath	Port 20000 - 65535 5060 - 5090	Remove	Edit

Save Settings Cancel Changes

10. Click **Continue** to finish and return to the router configuration screen.



Your settings have been successfully saved.

[Continue](#)